Edexcel Paper 1H Practice Booklet

20 practice questions based on the advance information

Copies of this booklet, as well as hints & solutions, are available at bossmaths.com/advanceinfo

Question 1

Which is greater, $\frac{4}{3}$ of 87 g or 14% of 800 g?

Question 2

Write 3.8×10^7 as a product of prime factors.

(a) Complete the table of values for $y = x^2 - 2x - 4$

x	-2	-1	0	1	2	3
y						

(b) On the grid, draw the graph of $y = x^2 - 2x - 4$ for values of x from -2 to 3.



(c) By drawing a suitable straight line, use your graph to find estimates for the solutions of $x^2 - 3x + 1 = 0$

Simplify each of these expressions as far as possible.

(a)
$$5\sqrt{44} - 8\sqrt{11}$$

(b) $\sqrt{34} \times \sqrt{17}$

(c) -7x - 3(9 - 2x)

Question 5

Expand and simplify (x-3)(x+10)(x+3)

Work out $(8 \times 10^{15})^{-\frac{2}{3}}$, writing your answer in standard form.

Question 7

A cuboid has length x cm, width y cm, and height 9 cm.

You are given that $3x + 8 \le 29$ and that $18 - 3y \ge 12$.

Calculate the upper bound for the surface area of the cuboid.

${\it Question} \ 8$

The diagram shows the lengths, in centimetres, of the sides of a right-angled triangle. Find the value of x.



The interior angles of a triangle are p° , q° , and r° . You are given that p = q - 12 and r = 2p + 20. Find the mean of p, q, and r.

Question 10

(a) Write $0.1\dot{0}\dot{3}$ as fraction in its simplest form.

(b) A bag contains 330 sweets. The probability of picking an orange sweet from this bag is 0.103. How many orange sweets are in the bag?

The graph shows the distance covered by a cyclist for 6 seconds.



(a) Estimate the speed of the cyclist at the moment she had travelled 5 metres.

(b) Here are four sketches of speed-time graphs. Circle the sketch that represents the cyclist's speed during the six-second period shown above.



The diagram shows pentagon. Various angles are marked on the diagram. Show that the ratio of the pentagon's largest interior angle to its smallest interior angle is 5 : 3



Question 13

There are two biscuit tins. Each tin contains a mix of chocolate biscuits and plain biscuits. The ratio of chocolate biscuits to plain biscuits in the first tin is 3 : 7 The ratio of chocolate biscuits to plain biscuits in the second tin is 4 : 1.

Enda picks at random one biscuit from each tin.

Work out the probability that Enda picks two chocolate biscuits.

This triangle has area \sqrt{k} cm². Find the value of k.



Question 15

An aluminium alloy has a density of 3 g/cm^3 . A cube of mass 375 g is made of this aluminium alloy. Work out the side length of the cube.

This cumulative frequency graph shows information about the heights, in cm, of rowers at a rowing club.



Work out an estimate for the interquartile range of heights of the rowers.

OAD and OBC are sectors of circles with centre O.

The points O, A, and B lie on a straight line. Similarly, the points O, D, and C lie on a straight line.

OB has length 13 cm and OD has length 12 cm.



Find, in terms of $\pi,$ the shaded area ABCD in $\mathrm{cm}^2.$

(a) $\frac{x+2}{x-1} - \frac{x+3}{x+1}$ can be written in the form $\frac{x+a}{x^2+b}$, where a and b are integers.

Work out the values of a and b.

(b) Hence, or otherwise, work out $\frac{1002}{999} - \frac{1003}{1001}$

${\it Question}~19$

The diagram shows the points, X, Y, and Z.

The vector $\overrightarrow{XZ} = -\mathbf{a} - 5\mathbf{b}$ The vector $\overrightarrow{YZ} = -4\mathbf{a} - 3\mathbf{b}$

Q is the point on XY such that $XQ:\;QY=5:1$

Find the vector \overrightarrow{ZQ} in terms of **a** and **b**.



(a) The point A has coordinates (7, 3). Given that A lies on the circle with equation $x^2 + y^2 = k$, find the value of k.

(b) Find the equation of the tangent to the circle at A, giving your answer in the form y = mx + c